



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>H04Q 7/22</b>		A1	(11) International Publication Number: <b>WO 00/02403</b>
		(43) International Publication Date: 13 January 2000 (13.01.00)	
(21) International Application Number: PCT/SE99/01210		(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 2 July 1999 (02.07.99)			
(30) Priority Data: 9802401-1 3 July 1998 (03.07.98) SE			
(71) Applicant (for all designated States except US): SENDIT AB [SE/SE]; Hångsvägen 20, S-115 41 Stockholm (SE).			
(72) Inventor; and (75) Inventor/Applicant (for US only): BERN, Marie [SE/SE]; Hedemorättäppan 3, S-113 30 Stockholm (SE).			
(74) Agent: AWAPATENT AB; P.O. Box 45086, S-104 30 Stockholm (SE).		<p><b>Published</b></p> <p><i>With international search report.</i></p> <p><i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	

(54) Title: METHOD AND ARRANGEMENT FOR ACCESSING INFORMATION IN A MOBILE COMMUNICATION NETWORK

## (57) Abstract

The present invention refers to a method and an arrangement for accessing information stored at a server and being retrievable using the Internet. According to the invention, another server is used for storing address data specifying the location of said information and for associating an identifier with said address data. Said identifier is transferred to a mobile station to be used when accessing said another server. Upon such an access the corresponding address data is derived and used for providing said information to said mobile station.

